

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2376569	computer near5 address near5 computer table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:04
L2	418	1 and partion\$3 and generat\$3 and access\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:06
L3	0	2 and select\$3 and decompress\$3 and campar\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:07
L4	7	2 and select\$3 and decompress\$3 and compar\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:07
L5	1	(11/493160).APP.	USPAT; USOCR	OR	ON	2008/01/02 11:08

L6	1087417	computer address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:11
L7	2788226	computer address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:12
L8	4	1 and partion\$3 near5 (upper and lower)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:12
L9	997313	1 and partion\$3 near5 upper bits	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:13
L10	104284	search\$3 near5 computer address near5 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:13

L11	267	10 and (general\$3 near5 (search near3 index))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:14
L12	2	11 and access\$3 near5 (primary adj2 address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:14
L13	52	11 and access\$3 near5 ( address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:15
L14	2	11 and access\$3 near5 ( secondary near5 address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:15
L15	52	11 and access\$3 near5 ( primarynear5 address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:15

L16	2	11 and access\$3 near5 ( primary near5 address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:15
L17	64	11 and access\$3 near5 ( port number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:16
L18	3351	(709/238).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 11:30
L19	5894	(709/238,245,247).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 11:30
L20	6	19 and 11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:30

L21	4	19 and 15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:31
L22	2	19 and 17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:31
L23	0	(partitioning same bit same computer address).clm.	US-PGPUB	ADJ	ON	2008/01/02 11:36
L24	1	(partitioning same bit same computer address).clm.	US-PGPUB	ADJ	ON	2008/01/02 11:36
L25	0	(generating same search index same compressing)".clm"	US-PGPUB	ADJ	ON	2008/01/02 11:37
L26	2	(generating same search index same compressing).clm.	US-PGPUB	ADJ	ON	2008/01/02 11:37
L27	1	(generating same search index same compressing same upper and lower).clm.	US-PGPUB	ADJ	ON	2008/01/02 11:38
L28	1	(accessing same primary address same search index same port number).clm.	US-PGPUB	ADJ	ON	2008/01/02 11:38
L29	1	(comparing same selecting same decompressing same comparing same primary address same secondary address)	US-PGPUB	ADJ	ON	2008/01/02 11:39

L30	0	high-speed and mac adj address and search adj "engine.clm"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/01/02 11:39
L31	1	(comparing same selecting same decompressing same comparing same primary address same secondary address).clm.	US-PGPUB	ADJ	ON	2008/01/02 11:39
S1	1221149	high-speed adj mac adj address adj search adj engine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/10 16:45
S2	1	high-speed adj mac adj address adj search adj engine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/10 16:45
S3	1	high-speed adj mac adj address adj search adj engine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/10 16:45

S4	0	high-speed and mac adj address and search adj engine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/24 16:52
S5	68	high-speed and mac adj address and search adj engine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/11 07:38
S6	2	("6697873").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/11 08:16
S7	9	("5740171"   "5917821"   "6009423"   "6192051"   "6295299").PN. OR ("6697873").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/11 08:02
S8	4	("6697873").URPN.	USPAT	OR	OFF	2007/07/11 08:01
S9	0	("macaddresssearchengine").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/11 08:16

S10	5	mac address search engine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/12 08:17
S11	0	(partition\$3 with bit adj size).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 14:57
S12	0	(partition\$3 and bit adj size).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 10:06
S13	0	(partition\$3 and computer address).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 14:58
S14	66315	(partition\$3).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 14:58



S15	1239	S14 and (computer.ti.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 14:58
S16	0	S15 and (bit size).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 14:59
S17	3109	(709/238).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/11 15:00
S18	2	S15 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/11 15:01
S19	2	("6697873").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/11 15:01
S20	4	("6697873").URPN.	USPAT	OR	OFF	2007/07/11 15:02

S21	9	("5740171"   "5917821"   "6009423"   "6192051"   "6295299").PN. OR ("6697873").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/11 15:02
S22	0	partition\$3 MAC address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/12 08:17
S23	16	partition\$3 near4 MAC address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/12 08:22
S24	0	(partition\$3 near5 MAC address).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/12 08:22
S25	1	(partition\$3 near5 MAC address).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/12 08:23
S26	9	((("6009423") or ("5740171") or ("5917821") or ("6192051") or ("6295299"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 08:25

S27	11	((("6009423") or ("5740171") or ("5917821") or ("6192051") or ("6295299"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 08:37
S28	79049	(compression near4 MAC address).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 08:38
S29	0	(compression near4 MAC address).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/12 08:38
S30	0	(compress\$3 near4 MAC address).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/12 08:38
S31	5	(compress\$3 near4 MAC address).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/12 14:28

S32	93	(( "20020196761" ) or ( "20030031190" ) or ( "20030236916" ) or ( "20040205234" ) or ( "20050034115" ) or ( "20050036471" ) or ( "20050086256" ) or ( "20050163121" ) or ( "20060002386" ) or ( "20060064414" ) or ( "20060129565" ) or ( "20060146835" ) or ( "20060149844" ) or ( "20060198369" ) or ( "20060212649" ) or ( "20070008964" ) or ( "20070019574" ) or ( "20070082621" ) or ( "20070153698" ) or ( "4334289" ) or ( "4617427" ) or ( "4831543" ) or ( "4881164" ) or ( "5261071" ) or ( "5301288" ) or ( "5526519" ) or ( "5572528" ) or ( "5640530" ) or ( "5809494" ) or ( "5848257" ) or ( "5881379" ) or ( "5897637" ) or ( "5933820" ) or ( "5974421" ) or ( "6067547" ) or ( "6137797" ) or ( "6202169" ) or ( "6209020" ) or ( "6212525" ) or ( "6212525" ) or ( "6219678" ) or ( "6219678" ) or ( "6233666" ) or ( "6249884" ) or ( "6353448" ) or ( "6381324" ) or ( "6539373" ) or ( "6697873" ) or ( "6725253" ) or ( "7120930" ) ). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 14:29
S33	22	"643567"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/24 16:52

S34	2	("0643567").PNL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/24 16:53
S35	56124	("709").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/24 16:53
S36	3302	S35 and (mac address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 18:19
S37	484	S35 and (mac address) and hash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 18:20
S38	2	S35 and (mac address) and (hash adj family)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 18:20

S39	484	S35 and (mac address) and (hash)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 18:20
S40	5	(mac search engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 18:21
S41	2040	(709/245).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/25 10:06
S42	685	(709/247).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/25 10:06

1/ 2/ 2008 11:40:52 AM

C:\Documents and Settings\ndonabed\My Documents\EAST\Workspaces\10750445.wsp